

How to Get Better Monitoring of MITRE ATT&CK Attack Techniques

Chase Snyder, Product Marketing Mgr., ExtraHop

Greg Copeland, Director Technical Alliances, Keysight



Agenda

- How network data complements logs
- Applying network data and analysis to MITRE attacks
- Example MITRE attack network detection and response
- Ensuring complete network visibility
- Examples of MITRE attack detection and analysis
- Validating security configuration against MITRE attacks.
- Q & A




Chase Snyder
Sr. Product Marketing Mgr.
ExtraHop



Greg Copeland
Dir. Technical Alliances,
Keysight

Network Intelligence Creates a Strong Foundation for Countering Advanced Threats



Difficult To Evade

So threats can't hide

Covert & Agentless

Stay stealth

Ground Truth

From core to edge to cloud

“

[A hacker's] worst nightmare is that out-of-band [tool] that's capturing all the data, understanding anomalous behavior that's going on.

ROB JOYCE
NATIONAL SECURITY AGENCY

Network Data is Vital for Detecting MITRE ATT&CK Tactics

ExtraHop

Reveal(x)

Overview

Dashboards

Detections

Alerts

Assets

Records

Packets

Search...

90

TOUR

6.4.0 1571

TYPES

SOURCES

TECHNIQUES

ALL

Attack (64)

Operations (40)

Any (104)

Type

Category

Technique

Offender

Victim

Acknowledgement

More Filters

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Impact
Drive-by Compromise T1189	Command and Scripting Interpreter T1059 1 Detection	Boot or Logon Autostart Execution T1547	Boot or Logon Autostart Execution T1547	Impair Defenses T1562	Brute Force T1110 1 Detection	Account Discovery T1087	Exploitation of Remote Services T1210 3 Detections	Data from Information Repositories T1213	Automated Exfiltration T1020 3 Detections	Application Layer Protocol T1071 12 Detections	Account Access Removal T1531
Exploit Public-Facing Application T1190 1 Detection	Exploitation for Client Execution T1203	Boot or Logon Initialization Scripts T1037	Boot or Logon Initialization Scripts T1037	Indicator Removal on Host T1070	Credentials from Password Stores T1555	Cloud Service Discovery T1526 1 Detection	Lateral Tool Transfer T1570	Data from Local System T1005	Data Transfer Size Limits T1030 5 Detections	Data Encoding T1132 1 Detection	Data Destruction T1485 1 Detection
External Remote Services T1133	Scheduled Task/Job T1053 1 Detection	Create Account T1136	Create or Modify System Process T1543	Modify Authentication Process T1556	Exploitation for Credential Access T1212	Domain Trust Discovery T1482	Remote Services T1021 6 Detections	Data from Network Shared Drive T1039 3 Detections	Exfiltration Over Alternative Protocol T1048 6 Detections	Data Obfuscation T1001 1 Detection	Data Encrypted for Impact T1486 4 Detections
Phishing T1566	System Services T1569 2 Detections	Create or Modify System Process T1543	Event Triggered Execution T1546	Modify Registry T1112	Forced Authentication T1187 2 Detections	File and Directory Discovery T1083 1 Detection	Use Alternate Authentication Material T1550 1 Detection	Data Staged T1074	Exfiltration Over C2 Channel T1041 3 Detections	Dynamic Resolution T1568 1 Detection	Endpoint Denial of Service T1499
Trusted Relationship T1199	User Execution T1204	Event Triggered Execution T1546	Exploitation for Privilege Escalation T1068	Obfuscated Files or Information T1027	Man-in-the-Middle T1557	Network Service Scanning T1046 3 Detections		Man-in-the-Middle T1557		Network Denial of Service T1498	
Valid Accounts T1078 1 Detection	Windows Management Instrumentation T1047 1 Detection	External Remote Services T1133	Scheduled Task/Job T1053 1 Detection	Rogue Domain Controller T1207	Modify Authentication Process T1556	Network Share Discovery T1135			Exfiltration Over Web Service T1567 4 Detections	Encrypted Channel T1573 3 Detections	Resource Hijacking T1496 9 Detections
		Scheduled Task/Job T1053 1 Detection	Valid Accounts T1078 1 Detection	Signed Binary Proxy Execution T1218	Network Sniffing T1040	Network Sniffing T1040			Scheduled Transfer T1029 3 Detections	Fallback Channels T1008 3 Detections	System Shutdown/Reboot T1529
		Server Software Component T1505 1 Detection		Traffic Signaling T1205 2 Detections	OS Credential Dumping T1003 2 Detections	Permission Groups Discovery T1069			Transfer Data to Cloud Account T1537 1 Detection	Ingress Tool Transfer T1105	
		Traffic Signaling T1205 2 Detections		Valid Accounts T1078 1 Detection	Use Alternate Authentication Material T1550 1 Detection	Query Registry T1012				Multi-Stage Channels T1104 3 Detections	
		Valid Accounts T1078 1 Detection			Valid Accounts T1078 1 Detection	Unsecured Credentials T1552 1 Detection	Remote System Discovery T1018 4 Detections			Non-Application Layer Protocol T1095	
						Software Discovery T1518 1 Detection				Non-Standard Port T1571	
						System Information Discovery T1082				Protocol Tunneling T1572 2 Detections	
						System Network Configuration Discovery T1016				Proxy T1090	
						System Network Connections Discovery T1049				Remote Access Software T1219 2 Detections	

Network Data is Vital for Detecting MITRE ATT&CK Tactics

ExtraHop

Reveal(x)

Overview

Dashboards

Detections

Alerts

Assets

Records

Packets

Search...

8.4.01572

TOUR

?

⚙️

🏠

🔄

Last 6 hours just now

Detections / Detections by MITRE Technique

TYPES

SOURCES

TECHNIQUES

ALL

Attack (64)

Operations (40)

Any (104)

Type

Category

Technique

Offender

Victim

Acknowledgement

More Filters

Initial Access

Execution

Persistence

Privilege Escalation

Defense Evasion

Credential Access

Discovery

Lateral Movement

Collection

Exfiltration

Command and Control

Impact

Drive-by Compromise
T1189

Exploit Public-Facing Application
T1190

External Remote Services
T1133

Phishing
T1566

Trusted Relationship
T1199

Valid Accounts
T1078

Command and Scripting Interpreter
T1059

Exploitation for Client Execution
T1203

Scheduled Task/Job
T1053

System Services
T1569

User Execution
T1204

Windows Management Instrumentation
T1047

Boot or Logon Autostart Execution
T1547

Boot or Logon Initialization Scripts
T1037

Create Account
T1136

Create or Modify System Process
T1543

Event Triggered Execution
T1546

External Remote Services
T1133

Scheduled Task/Job
T1053

Server Software Component
T1505

Traffic Signaling
T1205

Valid Accounts
T1078

Boot or Logon Autostart Execution
T1547

Boot or Logon Initialization Scripts
T1037

Create or Modify System Process
T1543

Event Triggered Execution
T1546

Exploitation for Privilege Escalation
T1068

Scheduled Task/Job
T1053

Valid Accounts
T1078

Impair Defenses
T1562

Indicator Removal on Host
T1070

Modify Authentication Process
T1556

Modify Registry
T1112

Obfuscated Files or Information
T1027

Rogue Domain Controller
T1207

Signed Binary Proxy Execution
T1218

Traffic Signaling
T1205

Use Alternate Authentication Material
T1550

Valid Accounts
T1078

Brute Force
T1110

Credentials from Password Stores
T1555

Exploitation for Credential Access
T1212

Forced Authentication
T1187

Man-in-the-Middle
T1557

Modify Authentication Process
T1556

Network Sniffing
T1040

OS Credential Dumping
T1003

Steal or Forge Kerberos Tickets
T1558

Unsecured Credentials
T1552

Account Discovery
T1087

Cloud Service Discovery
T1526

Domain Trust Discovery
T1482

File and Directory Discovery
T1083

Network Service Scanning
T1046

Network Share Discovery
T1135

Network Sniffing
T1040

Permission Groups Discovery
T1069

Query Registry
T1012

Remote System Discovery
T1018

Software Discovery
T1518

System Information Discovery
T1082

System Network Configuration Discovery
T1016

System Network Connections Discovery
T1049

Exploitation of Remote Services
T1210

Lateral Movement
T1570

Remote Services
T1021

Use Alternate Authentication Material
T1550

Data from Information Repositories
T1213

Data from Local System
T1005

Data from Network Shared Drive
T1039

Data Staged
T1074

Man-in-the-Middle
T1557

Automated Exfiltration
T1020

Data Transfer Size Limits
T1030

Exfiltration Over Alternative Protocol
T1048

Exfiltration Over C2 Channel
T1041

Exfiltration Over Web Service
T1567

Scheduled Transfer
T1029

Transfer Data to Cloud Account
T1537

Application Layer Protocol
T1071

Data Encoding
T1132

Data Obfuscation
T1001

Dynamic Resolution
T1568

Encrypted Channel
T1573

Fallback Channels
T1008

Ingress Tool Transfer
T1105

Multi-Stage Channels
T1104

Non-Application Layer Protocol
T1095

Non-Standard Port
T1571

Protocol Tunneling
T1572

Proxy
T1090

Remote Access Software
T1219

Account Access Removal
T1531

Data Destruction
T1485

Data Encrypted for Impact
T1486

Endpoint Denial of Service
T1499

Network Denial of Service
T1498

Resource Hijacking
T1496

System Shutdown/Reboot
T1529

Network Data is Vital for Detecting MITRE ATT&CK Tactics

MITRE | ATT&CK®

Matrices Tactics Techniques Mitigations Groups Software Resources Blog Contribute Search

TECHNIQUES

Enterprise

Reconnaissance

Resource Development

Initial Access

Execution

Persistence

Privilege Escalation

Defense Evasion

Credential Access

Discovery

Lateral Movement

Exploitation of Remote Services

Internal Spearphishing

Lateral Tool Transfer

Home > Techniques > Enterprise > Exploitation of Remote Services

Exploitation of Remote Services

Adversaries may exploit remote services to gain unauthorized access to internal systems once inside of a network. Exploitation of a software vulnerability occurs when an adversary takes advantage of a programming error in a program, service, or within the operating system software or kernel itself to execute adversary-controlled code. A common goal for post-compromise exploitation of remote services is for lateral movement to enable access to a remote system.

An adversary may need to determine if the remote system is in a vulnerable state, which may be done through [Network Service Scanning](#) or other Discovery methods looking for common, vulnerable software that may be deployed in the network, the lack of certain patches that may indicate vulnerabilities, or security software that may be used to detect or contain remote exploitation. Servers are likely a high value target for lateral movement exploitation, but endpoint systems may also be at risk if they provide an advantage or access to additional resources.

There are several well-known vulnerabilities that exist in common services such as SMB ^[1] and RDP ^[2] as well as applications that may be used within internal networks such as MySQL ^[3] and web server services. ^[4]

Depending on the permissions level of the vulnerable remote service an adversary may achieve [Exploitation for Privilege Escalation](#) as a result of lateral movement exploitation as well.

ID: T1210

Sub-techniques: No sub-techniques

① **Tactic:** Lateral Movement

① **Platforms:** Linux, Windows, macOS

① **System Requirements:** Unpatched software or otherwise vulnerable target. Depending on the target and goal, the system and exploitable service may need to be remotely accessible from the internal network.

① **Permissions Required:** User

① **Data Sources:** [Application Log:](#) Application Log Content, [Network Traffic:](#) Network Traffic Content

Contributors: ExtraHop

Version: 1.1

Created: 18 April 2018


Last Modified: 22 April 2021

[Version Permalink](#)

Discovery	Lateral Movement	Collection	Exfiltration
Account Discovery T1087 3 Detections	Exploitation of Remote Services T1210 3 Detections	Data from Information Repositories T1213	Automated Exfiltration T1020 3 Detections
Cloud Service Discovery T1526 1 Detection	Lateral Tool Transfer T1570	Data from Local System T1005	Data Transfer Size T1030 5 Detections
Domain Trust Discovery T1482	Remote Services T1021 6 Detections	Data from Network Shared Drive T1039 3 Detections	Exfiltration Over A Protocol T1048 6 Detections
File and Directory Discovery T1083 1 Detection	Use Alternate Authentication Material T1550 1 Detection	Data Staged T1074	Exfiltration Over C T1041 3 Detections
Network Service Scanning T1046 3 Detections		Man-in-the-Middle T1557	Exfiltration Over V T1567 4 Detections
Network Share Discovery T1135			Scheduled Transfer T1029 3 Detections
Network Sniffing T1040			Transfer Data to C
Permission Groups Discovery T1069			

Fundamental Breakthrough in ML and Analytics

PROVIDING ANSWERS IN REAL-TIME AND AT SCALE



Threat Signals Extracted From The Network in Real Time

HTTP INTEL

- 121.35.232.13 □
192.168.1.3:80
- http://www.extrahop.com/login
- 35s response time - **95% server delay**
- **500 server error**
- SessionID: ACD53332
- Cookie:
- UserName: john_smith
- OrderID: 3838383
- User agent: Firefox53/Windows10

SMB/CIFS INTEL

- User: \\WORKGROUP\jsmith
- File: \\WS1\Desktop\
a.ppt.encrypted
- Method: WRITE
- Access Time: 520 ms
- Network Transfer Time: 10 s
- Bytes Transferred: 500 MB
- UserName: john_smith

DATABASE INTEL

- 192.168.23.5 □
192.168.25.8:1521
- User: **sa**
- Query: select * from accounts
- **20s response time - 90% server delay**
- Bytes Transferred: 100 KB
- Network Transfer Time: 0.5 ms
- Error: **ORA-00942 table or view does not exist**

KERBEROS INTEL

- 192.168.23.2 □
10.1.3.5:88
- User: ptdaniels
- Message Type: TGS Request
- Server Realm: sa.local
- 20 ms response time
- Bytes Transferred: 119 B
- Network Transfer Time: 0.5 ms
- Error: **KDC_ERR_CLIENT_REVOKED**

Example - Command & Control - App Layer Protocol (MITRE ATT&CK T1071)


Command & Control

Once an attacker has compromised an internal host on their target network, they establish a command & control mechanism to control that host's behavior and use it for further reconnaissance, credential access, and lateral movement.

- Command & Control activity is often disguised in normal, chatty network protocol activity, such as DNS, HTTP, and even FTP

Network derived Signals:

- Unusual behavior across common C2 protocols like DNS & HTTP
- NG-IDS can detect specific malware leveraging C2 tactics



ExtraHop Full-Spectrum Detection

HYGIENE

Activity that represents risk: ports, protocols, cryptographic compliance, and vulnerable or non-compliant services

KNOWN ATTACKS

IP addresses, domains, file names, payload strings, or protocol behavior observed in past attacks (including intelligence feeds)

UNKNOWN ATTACKS

Attacks that do not have a previously known identifier, but exhibit anomalous behavior that can be linked to part of the attack lifecycle

Rule-Based Detection

Robust Anomaly Detection

Sophisticated Behavioral
Detection


Peer Group Detections

SPECTRUM OF DETECTION

MITRE ATT&CK™ NIST CIS Controls™

Network Data is Critical For Detecting Advanced Threats

If you were compromised, how would you know?



70% DARKSPACE

Attackers bypass defenses and have free rein



67% ENCRYPTED TRAFFIC

Malicious traffic is often encrypted



56 DAYS OF DWELL TIME

Median before attackers are found



72% DESTRUCTION OF LOGS

Attackers easily cover their tracks

```
meterpreter > run clearlogs
Clearing event logs, this will leave an event 517
[*] Clearing the security Event log
[*] Clearing the system Event log
[*] Clearing the application Event log
[*] Clearing the directory Event log
[*] Clearing the dns server Event log
[*] Clearing the file replication service Event log
All Clear! You are a Ninja!
meterpreter >
```

Keysight Technologies: You can't secure traffic which you don't see


- Network data is the richest data source available for NetOps and SecOps
- Collected Network Data must be reliable and complete
- Data must be collected and aggregated before it can be analyzed for security threats
- Grooming to optimize the wire data feed
- Decryption of Traffic (in 2019 87% traffic was encrypted)
- Keysight Visibility Solution complements ExtraHop by delivering all the data needed for MITRE analysis



Keysight Visibility Solution


- Keysight Taps
- Keysight Virtual Taps
- Keysight Network Packet Brokers
- Keysight CloudLens

Keysight Visibility: Single Data Collection Solution for all Network Data



Best Practice: Continuous Security Validation

Misconfiguration is another complementary and increasingly important area



**2020 Verizon Data Breach Investigation Report*

Reduce Misconfiguration Risk with Keysight Threat Simulator



AUTOMATED, SAFE, AND CONTINUOUS ASSESSMENT

Improve security by ensuring proper configuration

- Maximize your security tool investment and effectiveness
- Quickly/easily identify misconfigurations and gaps

Easily remediate gaps in your coverage

- Step-by-step instructions for fixes and optimal configuration
- Risk/exposure measurements make it easy to prioritize

Safely simulate the entire kill chain

- Real-world malware and techniques e.g. **MITRE ATT&CK**
- e.g. Simulate SUNBURST attack and get recommended fixes.


Assess your detection/blocking capabilities

- Quantify exposure to specific threat vectors
- Seamless SIEM integration


Stay ahead of the curve

- Continually reassess (ex. configuration changes or new threats)

Complements ExtraHop live traffic network detection and response



Next Steps



[Try The Online Demo of Reveal\(x\)
360 Cloud Native NDR](#)



PRODUCTS + SERVICES SOLUTIONS INDUSTRIES



[Learn More About Keysight Network
Visibility](#)

Question & Answer

- Please submit your questions via the Q&A chat.
- Leave your business card at our booth if you:
 - Did not get your question answered
 - Want a copy of this presentation
 - Want to enter to win the giveaway



Enter to WIN: Leave your business card at our booth

The image is a screenshot of the SECURE360 conference website, highlighting the ExtraHop | Keysight booth. The website has a light blue header with navigation links: Home, Schedule, People, Trade Show, Lounge, and Help Desk. A dropdown menu for 'Trade Show' is open, showing links to Sponsors, Sponsor Map, All Exhibitors, and Exhibitor Map. A search bar on the right contains the text 'keysight' and a 'GO' button. Below the header, there's a section for exhibitors. The ExtraHop | Keysight booth is featured prominently, with a banner that reads 'Promoting Alignment Between NetOps and SecOps'. An orange arrow points from the booth's logo in the exhibitor list to the booth's main banner. The booth's main banner includes a 'SEE ALL' link and a 'LEAVE YOUR CARD' button. Below the banner, there's a section for 'ExtraHop | Keysight' with an 'EXHIBITOR' badge and a 'BRONZE' badge. A blue box promotes a '\$100 Amazon eGift Giveaway' with a 'LEAVE YOUR CARD' button. To the right of the booth, there's a sidebar with tabs for Conversation, Staff, Files, and Polls. The 'Files' tab is active, showing a list of downloadable files: Security Demo, Work From Home Access Tips, ExtraHop Solution Brief, ExtraHop & Keysight Solution Brief, and Ixia Solutions Brochure. Numbered callouts (1-5) are placed on the image to guide the user: 1 points to the 'Trade Show' dropdown, 2 points to the 'All Exhibitors' link, 3 points to the search bar, 4 points to the ExtraHop | Keysight logo in the exhibitor list, and 5 points to the 'LEAVE YOUR CARD' button on the booth banner. An orange arrow labeled 'Exhibitor's booth' points from the logo in the exhibitor list to the booth banner.

SECURE360 conference

Home Schedule People Trade Show Lounge Help Desk

Sponsors Sponsor Map All Exhibitors Exhibitor Map

keysight GO

All terms must match

ExtraHop KEYSIGHT TECHNOLOGIES

Exhibitor's booth

Promoting Alignment Between NetOps and SecOps

SEE ALL LEAVE YOUR CARD

ExtraHop | Keysight EXHIBITOR BRONZE

\$100 Amazon eGift Giveaway 1 in every 10 will win! To enter* please LEAVE YOUR CARD *Push the orange button in the upper left of this booth


A joint booth with ExtraHop & Keysight! Learn more about each below!

Keysight provides deep insight into network traffic and security. This dynamic network intelligence helps our customers drive innovation and keep applications running smoothly

Conversation Staff Files Polls

Security Demo Work From Home Access Tips ExtraHop Solution Brief ExtraHop & Keysight Solution Brief Ixia Solutions Brochure

KEYSIGHT TECHNOLOGIES



KEYSIGHT
TECHNOLOGIES